

Product datasheet for CF800195

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Myoneurin (MYNN) Mouse Monoclonal Antibody [Clone ID: OTI3B9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3B9
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 10-300 of human MYNN

(NP 061127) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 68.5 kDa

Gene Name: myoneurin

Database Link: NP 061127

Entrez Gene 80732 MouseEntrez Gene 361924 RatEntrez Gene 55892 Human

Q9NPC7





Background: This gene encodes a member of the BTB/POZ and zinc finger domain-containing protein


family that are involved in the control of gene expression. Alternative splicing results in multiple transcript variants and a pseudogene has been identified on chromosome 14.

[provided by RefSeq]


Synonyms: OSZF; SBBIZ1; ZBTB31; ZNF902

Protein Families: Transcription Factors


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MYNN ([RC207080], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MYNN. Positive lysates [LY412964] (100ug) and [LC412964] (20ug) can be purchased separately from OriGene.



Flow cytometric Analysis of Hela cells, using anti-MYNN antibody ([TA800195]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-MYNN antibody ([TA800195]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).