

Product datasheet for CF800414

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

A4GNT Mouse Monoclonal Antibody [Clone ID: OTI2C1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2C1
Applications: WB

Recommended Dilution: WB 1:500
Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 121-340 of human

A4GNT (NP_057245) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 39.3 kDa

Gene Name: alpha-1,4-N-acetylglucosaminyltransferase

Database Link: NP 057245

Entrez Gene 51146 Human

Q9UNA3





A4GNT Mouse Monoclonal Antibody [Clone ID: OTI2C1] - CF800414

Background: This gene encodes a protein from the glycosyltransferase 32 family. The enzyme catalyzes the


transfer of N-acetylglucosamine (GlcNAc) to core 2 branched O-glycans. It forms a unique glycan, GlcNAcalpha1-->4Galbeta-->R and is largely associated with the Golgi apparatus

membrane. [provided by RefSeq, Jul 2008]

Synonyms: alpha4GnT

Protein Families: Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY A4GNT ([RC221256], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-A4GNT. Positive lysates [LY414153] (100ug) and [LC414153] (20ug) can be purchased separately from OriGene.