

### **Product datasheet for CF802418**

### **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## **CD5 Mouse Monoclonal Antibody [Clone ID: OTI2A2]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2A2

Applications: FC

Recommended Dilution: FLOW 1:50

Reactivity: Human

Host: Mouse

Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CD5 (NP\_055022) produced in HEK293T

cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

**Reconstitution Method:** For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 54.4 kDa

Gene Name: CD5 molecule

Database Link: NP 055022

Entrez Gene 921 Human

P06127

Synonyms: LEU1; T1


**Protein Families:** Druggable Genome, Transmembrane






Protein Pathways: Hematopoietic cell lineage

# **Product images:**




HEK293T cells transfected with either [RC206494] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-CD5 antibody ([TA802418]), and then living cells were analyzed by flow cytometry (1:50).



Flow cytometric analysis of living 50ng/ml IL2-stimulated Jurkat cells, using anti-CD5 antibody ([TA802418]), (red), compared to an IgG isotype control, (green), and negative control (PBS), (blue) (1:100).





Flow cytometric analysis of living CCRF-CEM cells, using anti-CD5 antibody ([TA802418]), (red), compared to an IgG isotype control, (green), and negative control (PBS), (blue) (1:100).