

Product datasheet for CF807775

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Midkine (MDK) Mouse Monoclonal Antibody [Clone ID: OTI8C6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI8C6
Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 21-143 of human

MDK(NP_001012334) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 15.4 kDa **Gene Name:** midkine

Database Link: NP 001012334

Entrez Gene 17242 MouseEntrez Gene 81517 RatEntrez Gene 4192 Human

P21741



Midkine (MDK) Mouse Monoclonal Antibody [Clone ID: OTI8C6] - CF807775

Background: This gene encodes a member of a small family of secreted growth factors that binds heparin


and responds to retinoic acid. The encoded protein promotes cell growth, migration, and angiogenesis, in particular during tumorigenesis. This gene has been targeted as a therapeutic for a variety of different disorders. Alternatively spliced transcript variants

encoding multiple isoforms have been observed. [provided by RefSeq, Jul

Synonyms: ARAP; MK; NEGF2

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MDK ([RC221818], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MDK (1:2000). Positive lysates [LY425316] (100ug) and [LC425316] (20ug) can be purchased separately from OriGene.