

# **Product datasheet for CF807838**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI4G9]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI4G9

Applications: IF

Recommended Dilution: IF 1:5000

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

**Immunogen:** Human recombinant protein fragment corresponding to amino acids 64-244 of human

NAPSA(NP\_004842) produced in E.coli.

**Formulation:** Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

**Reconstitution Method:** For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 42.7 kDa

**Gene Name:** napsin A aspartic peptidase

Database Link: NP 004842

Entrez Gene 9476 Human

O96009





### NAPSIN A (NAPSA) Mouse Monoclonal Antibody [Clone ID: OTI4G9] - CF807838

**Background:** The activation peptides of aspartic proteinases plays role as inhibitors of the active site. These

peptide segments, or pro-parts, are deemed important for correct folding, targeting, and control of the activation of aspartic proteinase zymogens. The pronapsin A gene is expressed predominantly in lung and kidney. Its translation product is predicted to be a fully functional, glycosylated aspartic proteinase precursor containing an RGD motif and an additional 18

residues at its C-terminus. [provided by RefSeq, Jul 2008]

Synonyms: KAP; Kdap; NAP1; NAPA; SNAPA

Protein Families: Druggable Genome, Protease

Protein Pathways: Lysosome

# **Product images:**







Immunocytochemistry staining of A549 cells using anti-NAPSA mouse monoclonal antibody ([TA807838]). The right is HELA cells as negative control (1:5000).