

Product datasheet for CF810153

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Endoglycan (PODXL2) Mouse Monoclonal Antibody [Clone ID: OTI3C2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3C2

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human
Host: Mouse
Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 366-486 of human

PODXL2(NP 056535) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 64.9 kDa

Gene Name: podocalyxin like 2

Database Link: NP 056535

Entrez Gene 50512 Human

Q9NZ53





Endoglycan (PODXL2) Mouse Monoclonal Antibody [Clone ID: OTI3C2] - CF810153

Background: This gene is a member of the CD34 family of cell surface transmembrane proteins, which are


characterized by an N-terminal extracellular mucin domain, globular and stalk domains, a single pass transmembrane region, and a charged cytoplasmic tail. The encoded protein is a

ligand for vascular selectins. [provided by RefSeq, Oct 2012]

Synonyms: EG; PODLX2

Protein Families: Transmembrane

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY PODXL2 ([RC208583], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-PODXL2 (1:2000). Positive lysates [LY414352] (100ug) and [LC414352] (20ug) can be purchased separately from OriGene.