

## Product datasheet for **CF811667**

### ZNF572 Mouse Monoclonal Antibody [Clone ID: OTI2F6]


#### Product data:

|                        |  |
|------------------------|--|
| Product Type:          | Primary Antibodies   |
| Clone Name:            | OTI2F6   |
| Applications:          | WB   |
| Recommended Dilution:  | WB 1:500   |
| Reactivity:            | Human  |
| Host:                  | Mouse  |
| Isotype:               | IgG1   |
| Clonality:             | Monoclonal   |
| Immunogen:             | Full length human recombinant protein of human ZNF572 (NP_689625) produced in E.coli.  |
| Formulation:           | Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)  |
| Reconstitution Method: | For reconstitution, we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific) |
| Purification:          | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)  |
| Conjugation:           | Unconjugated   |
| Storage:               | Store at -20°C as received.  |
| Stability:             | Stable for 12 months from date of receipt.   |
| Gene Name:             | zinc finger protein 572  |
| Database Link:         | <a href="#">NP_689625</a><br><a href="#">Entrez Gene 137209 Human</a><br><a href="#">Q7Z3I7</a>  |
| Synonyms:              | FLJ38002   |




[View online »](#)

**Product images:**



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY ZNF572 (Cat# [RC224676], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ZNF572 (Cat# [TA811667])(1:500). Positive lysates [LY407580] (100ug) and [LC407580] (20ug) can be purchased separately from OriGene.



Western blot analysis of extracts (35ug) from HepG2 cell line by using anti-ZNF572 monoclonal antibody (1:500).