

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for CF813820

## IL6 Mouse Monoclonal Antibody [Clone ID: OTI2B7]

## **Product data:**

| Product Type:           | Primary Antibodies   |
|-------------------------|--|
| Clone Name:             | OTI2B7   |
| Applications:           | ELISA  |
| Recommended Dilution:   | ELISA 1:5000-10000   |
| Reactivity:             | Human  |
| Host:                   | Mouse  |
| lsotype:                | lgG1   |
| Clonality:              | Monoclonal   |
| Immunogen:              | Full length human recombinant protein of human IL-6 (NP_000591) produced in E.coli.  |
| Formulation:            | Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)  |
| Reconstitution Method:  | For reconstitution, we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific) |
| Purification:           | Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography<br>(protein A/G)   |
| Conjugation:            | Unconjugated   |
| Predicted Protein Size: | 23.7 kDa   |
| Gene Name:              | interleukin 6  |
| Database Link:          | <u>NP_000591</u><br><u>Entrez Gene 3569 Human</u><br><u>P05231</u>   |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

|                   | IL6 Mouse Monoclonal Antibody [Clone ID: OTI2B7] – CF813820  |
|-------------------|--|
| Background:       | This gene encodes a cytokine that functions in inflammation and the maturation of B cells. In addition, the encoded protein has been shown to be an endogenous pyrogen capable of inducing fever in people with autoimmune diseases or infections. The protein is primarily produced at sites of acute and chronic inflammation, where it is secreted into the serum and induces a transcriptional inflammatory response through interleukin 6 receptor, alpha. The functioning of this gene is implicated in a wide variety of inflammation-associated disease states, including suspectibility to diabetes mellitus and systemic juvenile rheumatoid arthritis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2015] |
| Synonyms:         | BSF-2; BSF2; CDF; HGF; HSF; IFN-beta-2; IFNB2; IL-6  |
| Protein Families: | Druggable Genome, Secreted Protein   |
| Protein Pathways  | Cytokine-cytokine receptor interaction, Cytosolic DNA-sensing pathway, Graft-versus-host disease, Hematopoietic cell lineage, Hypertrophic cardiomyopathy (HCM), Jak-STAT signaling pathway, NOD-like receptor signaling pathway, Pathways in cancer, Prion diseases, Toll-like receptor signaling pathway   |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US