

## Product datasheet for CS700555

## **Tissue FFPE Sections, Pleura**

## **Product data:**

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


| Product Type:   | FFPE Sections                                 |
|---|---|
| Disease State:  | Cancer  |
| Diagnosis Category:                                     | Mesothelioma                                  |
| Tissue:   | Lung  |
| Frozen Sample ID:                                       | PA154763BE                                    |
| Case ID:  | CI000000230                                   |
| Tissue of Origin:                                       | Pleura  |
| Site of Finding:  | Pleura  |
| Appearance:   | Т   |
| Sample Diagnosis (from<br>Pathology Verification):      | Mesothelioma of pleura                        |
| Normal:   | 5%  |
| Lesional:   | 0%  |
| Tumor:  | 60%   |
| Tumor Hypo/Acellular<br>Stroma:                         | 35%   |
| Tumor Hypercellular<br>Stroma:                          | 0%  |
| Necrosis:   | 0%  |
| Pathology Verification<br>notes from H&E review:        | Normal component consists of subcutaneous fat |
| CASE Diagnosis (from<br>medical center path<br>report): | Mesothelioma of pleura                        |
| Age:  | 68  |
| Gender:   | Male  |
| Race:   | White or Caucasian                            |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| <b>GRIGENE</b> Tissue FFPE Sections, Pleura – CS700555 |   |
|--|---|
| Tumor Grade:   | Not Reported  |
| Minimum Stage<br>Grouping:                             | III   |
| T (Extent of Primary<br>Tumor):                        | ТЗ  |
| N (Lymph node<br>metastasis):                          | N1  |
| M (Distant metastasis):                                | MX  |
| Diagnostic Test Results:                               | lron stain, Perls ~ Iron stain, Prussian blue,Negative                |
| Storage:   | Store FFPE tissue sections at +4°C.                                   |
| Stability:   | All FFPE tissue sections are stable for 1 year from date of purchase. |

## Product images:



4x Image

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

20x Image

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US