

Product datasheet for DA3533

VEGFR-1 / Flt-1 (D1-D4) Human Protein

Product data:

Product Type:	Recombinant Proteins
Description:	VEGFR-1 / Flt-1 (D1-D4) human recombinant protein, 5 µg
Species:	Human
Expression Host:	Insect
Expression cDNA Clone or AA Sequence:	SKLKDPESL KGTQHIMQAG QTLHLQCRGE AAHKWSLPEM VSKESERLSI TKSACGRNGK QFCSTLTLNT AQANHTGFYS CKYLAVPTSK KKETESAIYI FISDTGRPFV EMYSEIPEII HMTEGRELVI PCRVTSPNIT VTLKKFPLDT LIPDGKRIIW DSRKGFISN ATYKEIGLLT CEATVNGHLY KTNYLTHRQT NTIIDVQIST PRPVKLLRGH TLVLNCTATT PLNTRVQMTW SYPDEKNKRA SVRRRIDQSN SHANIFYSVL TIDKMQNKDK GLYTCVRVSG PSFKSVNTSV HIYDKAFITV KHRKQQVLET VAGKRSYRLS MKVKAFPSPE VVWLKDGLPA TEKSARYLTR GYSLIKDVT EEDAGNYTIL LSIKQSNVFK NLTATLIVNV KPQIYEKAVS SFPDPALYPL GSRQILTCTA YGIPQPTIKW FWHPCNHNHS EARCDFC
Predicted MW:	55 kDa
Purity:	>90% by SDS-PAGE and visualised by silver stain.
Buffer:	Presentation State: Purified State: Lyophilized protein Buffer System: PBS Stabilizer: None
Bioactivity:	Biological: The activity of sVEGFR-1D1-4 was determined by its ability to inhibit the VEGF-A-induced proliferation of HUVECs.
Endotoxin:	< 0.1 ng per µg of VEGFR-1.
Reconstitution Method:	The lyophilized sVEGFR-1D1-4 is soluble in water and most aqueous buffers and should be reconstituted in PBS to a concentration not lower than 100 ng/ml.
Preparation:	Lyophilized protein
Protein Description:	Recombinant Human Soluble VEGFR-1 (D1-4). Recombinant Human soluble Vascular Endothelial Growth Factor Receptor-1 domain D1-4 (sVEGFR-1D1-4) is produced as a non-chimeric protein in a monomeric form. The soluble receptor protein contains only the first 4 extracellular domains, which contain all the information necessary for binding of VEGF. The receptor monomers have a mass of approximately 55kDa containing 457 amino acid residues. Result by N-terminal sequencing: SGSKLKD



[View online »](#)

Note:	Centrifuge vials before opening!
Storage:	Store lyophilized at 2-8°C for 6 months or at -20°C long term. After reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	NP_001153392
Locus ID:	2321
UniProt ID:	P17948
Cytogenetics:	13q12.3
Synonyms:	VEGFR1, FLT1, FLT, FRT, VEGF Receptor 1
Summary:	This gene encodes a member of the vascular endothelial growth factor receptor (VEGFR) family. VEGFR family members are receptor tyrosine kinases (RTKs) which contain an extracellular ligand-binding region with seven immunoglobulin (Ig)-like domains, a transmembrane segment, and a tyrosine kinase (TK) domain within the cytoplasmic domain. This protein binds to VEGFR-A, VEGFR-B and placental growth factor and plays an important role in angiogenesis and vasculogenesis. Expression of this receptor is found in vascular endothelial cells, placental trophoblast cells and peripheral blood monocytes. Multiple transcript variants encoding different isoforms have been found for this gene. Isoforms include a full-length transmembrane receptor isoform and shortened, soluble isoforms. The soluble isoforms are associated with the onset of pre-eclampsia.[provided by RefSeq, May 2009]
Protein Families:	Druggable Genome, Protein Kinase, Secreted Protein
Protein Pathways:	Cytokine-cytokine receptor interaction, Endocytosis, Focal adhesion

Product images:

