

## Product datasheet for DDX0080A488-100

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD1 (CD1A) Mouse Monoclonal Antibody [Clone ID: 214A9.01]

## **Product data:**

**Product Type:** Primary Antibodies

Clone Name: 214A9.01
Applications: FC, IF

Recommend Dilution: Surface flow cytometry, IF

Reactivity: Human
Host: Mouse
Isotype: IgM

Clonality: Monoclonal

Immunogen:in vitro derived human DCs (GMCSF + TNFα)Specificity:human CD1a (epitope in extracellular domain).Formulation:100 μg in 200 μl / 50 μg in 100 μl PBS 50% glycerol

Label: Alexa Fluor 488

**Concentration:** 0.5 mg/ml

**Purification:** QMA Hyper D ion exchange chromatography

Conjugation: Alexa Fluor 488

Gene Name: CD1a molecule

Database Link: <u>Entrez Gene 909 Human</u>

**Background:** CD1 family molecules have a homologous structure to MHC class I. They are monomorphic

proteins of 50 kDa non-covalently associated with β2-microglobulin. Human CD1a molecules are divided in 2 groups. Group 1 includes CD1a, CD1b, and CD1c, while group 2 consists of the CD1d molecule. CD1a is mainly expressed at the cell-surface and in recycling vesicles. CD1a occurs in Birbeck's granules of Langerhans cells and plays a role in presentation of non-peptide antigens. CD1a is expressed in vitro on CD34+ generated DCs and on monocytederived DCs. <br/>
'><em>(Burdin N. et al, 1999; Curr. Opin. Immunol., 11:326-31; Valladeau I.


et al, 1999; Immunity, 12:71-81)</em>

Synonyms: T6/Leu-6, hTa1






## **Product images:**



Facs staining of in vitro-derived DCs with 214A9.01



IHC staining of human lung cancer frozen section with clone 214A9 (DDX0080)