

## Product datasheet for DDX0190P-100

## LAMP3 Mouse Monoclonal Antibody [Clone ID: 104G4]

**Product data:** 

**Product Type:** Primary Antibodies

Clone Name: 104G4

**Applications:** FC, IF, IHC

Recommend Dilution: Intracyto Flow cytometry, IHC

Reactivity: Human, Sheep

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: human DC-LAMP alkaline phosphatase fusion protein

**Specificity:** human DC-LAMP (epitope in intracytoplasmic domain).

**Species cross-reactivity:** Sheep

Formulation: Tris-NaCl pH 8

State: Purified

**Concentration:** 0.5 mg/ml

Purification: QMA Hyper D ion exchange chromatography

Gene Name: lysosomal associated membrane protein 3

Database Link: Entrez Gene 27074 Human

Background: The dendritic cell lysosomal-associated membrane protein (DC-LAMP)/CD208 is a type I

integral transmembrane glycoprotein mostly homologous to CD68, of about 45 kDa in mouse

and 90 kDa in human (glycosylation), with a bipartite C-terminal structure divided by a serine/proline rich region, a transmembrane domain and a conserved tyrosine-based

lysosomal targeting motif in its cytoplasmic tail. Initially cloned as a specific marker of human mature dendritic cells (DCs), DC-LAMP has been subsequently shown to be expressed in alveolar type II pneumocytes. In both cell types, the molecule is found in the limiting

membrane of intracellular multi-lamellar bodies, known as MIIC (MHC class II compartments)

in human mature DCs and as lung surfactant-containing lamellar bodies in type II

pneumocytes. In the latter cell type, DC-LAMP expression is also detected at the cell surface.

(de Saint-Vis B et al, 1998; Immunity; 9:325-336)



OriGene Technologies, Inc.

Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


9620 Medical Center Drive, Ste 200



Synonyms:


DCLAMP, DC-LAMP, TSC403, Dendritic Cell Marker


## **Product images:**



IHC staining of human lung frozen section with clone 104G4 (DX0190)


## Sheep submaxillary lymph node cortex cryosection







20h post GFP-SAO injection in the oral mucosa CD11b (green) and 104.G4 (red)





IHC on cryosection of human tonsil: double staining CD3 ( red) DC-LAMP 104G4 (blue)





Intracellular FACS staining of human monocytes cultured 24h with GM-CSF, IL4, LPS

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.

©2020 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US