

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for DDX0192A546-100

Lamp3 Rat Monoclonal Antibody [Clone ID: 1006F7.05]

Product data:

Product Type: Primary Antibodies

Clone Name: 1006F7.05 Applications: FC, IF

Recommend Dilution: DDX0192P-50 / DDX0192P-100 Purified: Surface and Intra Flow cytometry, IHC, IF.

DDX0192A488-50 / DDX0192A488-100 Alexa-fluor®488: Surface and Intra Flow cytometry,

IF.

<u>DDX0192A546-50 / DDX0192A546-100</u> Alexa- fluor®546: Surface and Intra Flow cytometry. <u>DDX0192A647-50 / DDX0192A647-100</u> Alexa- fluor®647: Surface and Intra Flow cytometry. <u>DDX0192B-50 / DDX0192B-100</u>: Biotin (on request): Surface and Intra Flow cytometry, IHC.

Usage recommendation:

*This monoclonal antibody may be used between 5-20µg/ml.

*Optimal dilution should be determined by each laboratory for each application.

*Coupled antibody: to maintain RT before use.

Reactivity: Mouse Host: Rat

Isotype: IgG2a

Clonality: Monoclonal

Immunogen: recombinant murine DC-LAMP

Specificity: Murine DC-LAMP

Species cross-reactivity: none.

Formulation: Purified: 100 μg in 200μl / 50 μg in 100 μl Tris-NaCl pH 8.

Coupled: 100 µg in 200µl / 50 µg in 100 µl PBS 50% glycerol

Label: Alexa Fluor 546

Concentration: 0.5 mg/nml

Purification: QMA hyper D ion exchange chromatography

Conjugation: Alexa Fluor 546

Gene Name: lysosomal-associated membrane protein 3

Database Link: <u>Entrez Gene 239739 Mouse</u>





Background:


The dendritic cell lysosomal-associated membrane protein (DC-LAMP)/CD208 is a type I integral transmembrane glycoprotein mostly homologous to CD68, of about 45 kDa in the mouse and 90 kDa in human (due to extensive glycosylation), with a bipartite C-terminal structure divided by a serine/proline rich region, a transmembrane domain and a conserved tyrosine-based lysosomal targeting motif in its cytoplasmic tail. DC-LAMP is specifically expressed by human DCs upon activation. However, its mouse counterpart has not be detected in mature DCs. DC-LAMP is constitutively expressed by mouse. Confocal and immunoelectron microscopy have shown that mouse DC-LAMP protein co-localizes with lbm180, a specific marker for the limiting membrane of lamellar bodies that contains lung surfactant protein B.

(Salaun B et al, 2003; Eur. J. Immunol., 33:9, 2619-29; Salaun B et al, 2004; Am. J. Pathol., 164:3, 861-71; Rochereau N et al, Vaccine, 2011).

Synonyms:


DCLAMP, DC-LAMP, TSC403, Dendritic Cell Marker

Product images:



Immunostaining of murineintestine cryosections fixed with Acetone or PFA.

IL: intestinal lumen; LT: lymphoid tissue



IHC staining of mouse lung frozen section with clone 1006F7 (DX0192)