

Product datasheet for DM2035

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MCP3 (CCL7) Mouse Monoclonal Antibody [Clone ID: 113]

Product data:

Product Type: Primary Antibodies

Clone Name: 113

Applications: ELISA, WB

Recommended Dilution: ELISA: This antibody matches with Capture antibody Clone 542 (Cat.-No DM2039) in

sandwich ELISA.

Western Blot: This antibody when used at concentration of 1-4 µg/ml will allow visualization

of 0.1 µg/lane of Human MCP-3.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant Human MCP-3 (M.W. 8.5 kDa containing 76 amino acids residues).

Specificity: Reactive with natural and recombinant Human MCP-3.

Does not show any cross reaction with other Human Cytokines or growth factors tested such

as IL1 beta, IL-8, MCAF, SAA and EGF.

Formulation: 0.01M PBS, pH 7.2 without preservatives

State: Purified

State: Lyophilized purified IgG fraction

Reconstitution Method: Restore with Double distillated water to adjust the final concentration to 1.0 mg/ml

Concentration: 0.1 mg/ml (after reconstitution)

Purification: Affinity Chromatography on Protein G

Conjugation: Unconjugated

Storage: Upon receipt, store (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: C-C motif chemokine ligand 7

Database Link: Entrez Gene 6354 Human

P80098





MCP3 (CCL7) Mouse Monoclonal Antibody [Clone ID: 113] - DM2035

Background: Macrophage/monocyte chemotactic protein-3 (MCP-3), like other two closely related

chemokines (MCP1 and MCP-2), is chemotactic to monocytes, but not to neutrophils. MCP-3 showed 78% sequence homology with MCP-1 and 58% sequence homology with MCP-2. The primary receptor for MCP-3 is D6. MCP-3 also competes with MCP-1 to bind to CCR10, and competes with Rantes and MIP-1 α to bind to CCR1. MCP-3 stimulates macrophage to secrete proteases. A variety of cancer cell lines express MCP-3, suggesting a role in tumor invasion

and metastasia.

Synonyms: Small-inducible cytokine A7, CCL-7, MCP-3, C-C motif chemokine 7, SCYA6, SCYA7, NC28