

Product datasheet for DM3511F

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TIE2 (TEK) Mouse Monoclonal Antibody [Clone ID: Cl.16]

Product data:

Product Type: Primary Antibodies

Clone Name: Cl.16
Applications: FC

Recommended Dilution: FACS analysis and cell sorting: $\le 0.5 \,\mu\text{g/ml}$ in 100 μ l.

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant human soluble CD202b / TIE-2 protein

Specificity: The unconjugated monoclonal antibody will detect native human TIE-2 /TEK in ELISA

experiments and on the surface of different human cell types.

Formulation: PBS

Label: FITC

State: Liquid culture supernatant

Stabilizer: 1% BSA

Preservative: 0.02% Sodium Azide

Concentration: lot specific

Purification: Protein G Chromatography

Conjugation: FITC

Storage: Store undiluted at 2-8°C.

DO NOT FREEZE!

This product is photosensitive and should be protected from light.

Stability: Shelf life: one year from despatch.

Gene Name: TEK receptor tyrosine kinase

Database Link: Entrez Gene 7010 Human

LITTLE GETTE 70101

Q02763




Background:

TIE2 (tyrosine kinase with Ig and EGF homology domains 2) is expressed almost exclusively in endothelial cells in mice, rats and humans. This receptor possesses a unique extracellular domain containing two immunoglobulin like loops separated by three epidermal growth factor like repeats that are connected to three fibronectin type III like repeats. The ligand for the receptor is Angiopoietin 1. Defects in TIE2 are associated with inherited venous malformations; the TIE2 signaling pathway appears to be critical for endothelial cell smooth muscle cell communication in venous morphogenesis.

Synonyms:

TIE2, TIE-2, Angiopoietin-1 receptor, p140 TEK

Product images:



FACS analysis with primary human dermal lymphatic endothelial cells (HDLEC).