

## Product datasheet for **HP200439**

### **TIE2 (TEK) Human qPCR Primer Pair (NM\_000459)**

#### **Product data:**

<b>Product Type:</b>	qPCR Primer Pairs
<b>Gene ID:</b>	7010
<b>Forward Sequence:</b>	GGTCAAGCAACCCAGCCTTTTC
<b>Reverse Sequence:</b>	CAGGTCATTCCAGCAGAGCCAA
<b>ACCN:</b>	<u><a href="#">NM_000459</a></u> , <u><a href="#">NM_000459.1</a></u> , <u><a href="#">NM_000459.2</a></u> , <u><a href="#">NM_000459.3</a></u> , <u><a href="#">NM_000459.4</a></u> , <u><a href="#">BC035514</a></u> , <u><a href="#">BC035514.1</a></u> , <u><a href="#">BU753127</a></u> , <u><a href="#">NM_000459.5</a></u>
<b>UniProt ID:</b>	<u><a href="#">Q02763</a></u>
<b>Synonyms:</b>	CD202B; GLC3E; TIE-2; TIE2; VMCM; VMCM1
<b>Components:</b>	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
<b>Quality Control:</b>	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
<b>Storage:</b>	Store at -20°C.
<b>Stability:</b>	The primer mix is stable for one year from date of shipping.



[View online »](#)