

## Product datasheet for **HP200919**

### RPL22 Human qPCR Primer Pair (NM\_000983)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	6146
Forward Sequence:	GTGACATCCGAGGTGCCTTTCT
Reverse Sequence:	AACTACGCGCAACCAGTCACGT
ACCN:	<a href="#">NM_000983</a> , <a href="#">NM_000983.1</a> , <a href="#">NM_000983.2</a> , <a href="#">NM_000983.3</a> , <a href="#">BC058887</a> , <a href="#">BC011829</a> , <a href="#">BC020237</a> , <a href="#">BC032295</a> , <a href="#">BC035566</a> , <a href="#">BC066314</a> , <a href="#">BU927988</a> , <a href="#">NM_000983.4</a>
UniProt ID:	<a href="#">P35268</a>
Synonyms:	EAP; HBP15; HBP15/L22; L22
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)