**OriGene Technologies, Inc.**
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

# Product datasheet for HP201892

## PHOSPHO2 Human qPCR Primer Pair (NM_001008489)

## Product data:

| | |
|---|---|
| **Product Type:** | qPCR Primer Pairs |
| **Gene ID:** | 493911 |
| **Forward Sequence:** | GGAAATGATGTCTGTCCAGTCAC |
| **Reverse Sequence:** | TCAACACCTGAGGACCAAACTAC |
| **ACCN:** | NM_001008489, NM_001008489.1, NM_001008489.2, NM_001008489.3, BC106013, BC106013.1, BC022324, BI550291, BM820383, NM_001008489.4 |
| **UniProt ID:** | Q8TCD6 |
| **Components:** | 1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM. |
| **Quality Control:** | The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec. |
| **Storage:** | Store at -20°C. |
| **Stability:** | The primer mix is stable for one year from date of shipping. |

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US