

## Product datasheet for **HP202647**

### RPS19 Human qPCR Primer Pair (NM\_001022)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	6223
Forward Sequence:	ACTTCAGCCGAGGCTCCAAGAG
Reverse Sequence:	CTCTTTGTCCCTGAGGTGTCAG
ACCN:	<a href="#">NM_001022</a> , <a href="#">NM_001022.1</a> , <a href="#">NM_001022.2</a> , <a href="#">NM_001022.3</a> , <a href="#">BC018616</a> , <a href="#">BC018616.1</a> , <a href="#">BC000023</a> , <a href="#">BC007615</a> , <a href="#">BC017386</a> , <a href="#">BG398397</a> , <a href="#">BM468237</a> , <a href="#">BP270469</a> , <a href="#">BU603942</a> , <a href="#">NM_001022.4</a>
UniProt ID:	<a href="#">P39019</a>
Synonyms:	DBA; DBA1; eS19; LOH19CR1; S19
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)