

## Product datasheet for **HP205319**

### EXTL3 Human qPCR Primer Pair (NM\_001440)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	2137
Forward Sequence:	CCTGTCCATTGATGACGATGCTC
Reverse Sequence:	GTTGTAGAGCCAGGACTGATGG
ACCN:	<u><a href="#">NM_001440</a></u> , <u><a href="#">NM_001440.1</a></u> , <u><a href="#">NM_001440.2</a></u> , <u><a href="#">NM_001440.3</a></u> , <u><a href="#">BC006363</a></u> , <u><a href="#">BC006363.2</a></u> , <u><a href="#">BI911162</a></u> , <u><a href="#">BT007353</a></u> , <u><a href="#">NM_001440.4</a></u>
UniProt ID:	<u><a href="#">O43909</a></u>
Synonyms:	BOTV; EXTL1L; EXTR1; ISDNA; REGR; RPR
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)