**OriGene Technologies, Inc.**
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

# Product datasheet for HP205518

## Biglycan (BGN) Human qPCR Primer Pair (NM_001711)

### Product data:

| | |
|---|---|
| **Product Type:** | qPCR Primer Pairs |
| **Gene ID:** | 633 |
| **Forward Sequence:** | TTGAACCTGGAGCCTTCGATGG |
| **Reverse Sequence:** | TTGGAGTAGCGAAGCAGGTCCT |
| **ACCN:** | NM_001711, NM_001711.1, NM_001711.2, NM_001711.3, NM_001711.4, NM_001711.5, BC002416, BC004244, BQ180984, BT007323 |
| **UniProt ID:** | P21810 |
| **Synonyms:** | DSPG1; MRLS; PG-S1; PGI; SEMDX; SLRR1A |
| **Components:** | 1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM. |
| **Quality Control:** | The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec. |
| **Storage:** | Store at -20°C. |
| **Stability:** | The primer mix is stable for one year from date of shipping. |

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US