

## Product datasheet for **HP205840**

### Glycophorin A (GYPA) Human qPCR Primer Pair (NM\_002099)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	2993
Forward Sequence:	ATATGCAGCCACTCCTAGAGCTC
Reverse Sequence:	CTGGTTCAGAGAAATGATGGCA
ACCN:	<a href="#">NM_002099</a> , <a href="#">NM_002099.1</a> , <a href="#">NM_002099.2</a> , <a href="#">NM_002099.3</a> , <a href="#">NM_002099.4</a> , <a href="#">NM_002099.5</a> , <a href="#">NM_002099.6</a> , <a href="#">NM_002099.7</a> , <a href="#">BC005319</a> , <a href="#">BC005319.1</a> , <a href="#">BC013328</a> , <a href="#">BG497403</a> , <a href="#">BX649043</a> , <a href="#">NM_002099.8</a>
UniProt ID:	<a href="#">P02724</a>
Synonyms:	CD235a; GPA; GP <sub>E</sub> rik; GPSAT; HGpMiV; HGpMiXI; HGpSta(C); MN; MNS; PAS-2
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak: 95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)