

## Product datasheet for **HP207317**

### **IQGAP1 Human qPCR Primer Pair (NM\_003870)**

#### **Product data:**

<b>Product Type:</b>	qPCR Primer Pairs
<b>Gene ID:</b>	8826
<b>Forward Sequence:</b>	CCGTGGATACTTAGTTCGACAGG
<b>Reverse Sequence:</b>	AGCGCAGGTAAGCTAACCGATC
<b>ACCN:</b>	<a href="#">NM_003870</a> , <a href="#">NM_003870.1</a> , <a href="#">NM_003870.2</a> , <a href="#">NM_003870.3</a> , <a href="#">BC005906</a> , <a href="#">BC016714</a> , <a href="#">BC020549</a> , <a href="#">BC037425</a> , <a href="#">BC064971</a> , <a href="#">BC089385</a> , <a href="#">BC110811</a> , <a href="#">BC139731</a> , <a href="#">BC151834</a> , <a href="#">NM_003870.4</a>
<b>UniProt ID:</b>	<a href="#">P46940</a>
<b>Synonyms:</b>	HUMORFA01; p195; SAR1
<b>Components:</b>	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM.
<b>Quality Control:</b>	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
<b>Storage:</b>	Store at -20°C.
<b>Stability:</b>	The primer mix is stable for one year from date of shipping.



[View online »](#)