

## Product datasheet for **HP207359**

### **MBD4 Human qPCR Primer Pair (NM\_003925)**

#### **Product data:**

|                          |  |
|--------------------------|--|
| <b>Product Type:</b>     | qPCR Primer Pairs  |
| <b>Gene ID:</b>          | 8930   |
| <b>Forward Sequence:</b> | CTGAGGTAGCAAGAACCGCAGA   |
| <b>Reverse Sequence:</b> | GGATACTTCCACTGCTTTGTCAG  |
| <b>ACCN:</b>             | <u><a href="#">NM_003925</a></u> , <u><a href="#">NM_003925.1</a></u> , <u><a href="#">NM_003925.2</a></u> , <u><a href="#">BC011752</a></u> , <u><a href="#">BC034463</a></u> , <u><a href="#">BP370521</a></u> , <u><a href="#">BY997577</a></u> ,<br><u><a href="#">NM_003925.3</a></u>   |
| <b>UniProt ID:</b>       | <u><a href="#">O95243</a></u>  |
| <b>Synonyms:</b>         | MED1   |
| <b>Components:</b>       | 1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)   |
| <b>Quality Control:</b>  | The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec. |
| <b>Storage:</b>          | Store at -20°C.  |
| <b>Stability:</b>        | The primer mix is stable for one year from date of shipping.   |



[View online »](#)