

## Product datasheet for **HP207692**

### Collagen VI (COL6A3) Human qPCR Primer Pair (NM\_004369)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	1293
Forward Sequence:	CCTGGTGTAAGTATGCTGCCA
Reverse Sequence:	AAGATGGCGTCCACCTTGACT
ACCN:	<u><a href="#">NM_004369</a></u> , <u><a href="#">NM_004369.2</a></u> , <u><a href="#">NM_004369.3</a></u> , <u><a href="#">BC033174</a></u> , <u><a href="#">BC144595</a></u> , <u><a href="#">BC150625</a></u> , <u><a href="#">BC171790</a></u> , <u><a href="#">BC172233</a></u> , <u><a href="#">BQ446249</a></u> , <u><a href="#">BU687672</a></u> , <u><a href="#">BX641155</a></u> , <u><a href="#">BX647361</a></u> , <u><a href="#">BX647500</a></u> , <u><a href="#">NM_004369.4</a></u>
UniProt ID:	<u><a href="#">P12111</a></u>
Synonyms:	BTHLM1; DYT27; UCMD1
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)