

## Product datasheet for **HP207879**

### **RPS6KA3 Human qPCR Primer Pair (NM\_004586)**

#### **Product data:**

<b>Product Type:</b>	qPCR Primer Pairs
<b>Gene ID:</b>	6197
<b>Forward Sequence:</b>	CGAGGTCATACTCAGAGTGCTG
<b>Reverse Sequence:</b>	ACTGTGGCATTCCAAGTTTGCT
<b>ACCN:</b>	<u><a href="#">NM_004586</a></u> , <u><a href="#">NM_004586.1</a></u> , <u><a href="#">NM_004586.2</a></u> , <u><a href="#">BC096301</a></u> , <u><a href="#">BC015451</a></u> , <u><a href="#">BC096302</a></u> , <u><a href="#">BC096303</a></u> , <u><a href="#">BQ427696</a></u> , <u><a href="#">BU618685</a></u> , <u><a href="#">NM_004586.3</a></u>
<b>UniProt ID:</b>	<u><a href="#">P51812</a></u>
<b>Synonyms:</b>	CLS; HU-3; ISPK-1; MAPKAPK1B; MRX19; p90-RSK2; pp90RSK2; RSK; RSK2; S6K-alpha3
<b>Components:</b>	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
<b>Quality Control:</b>	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
<b>Storage:</b>	Store at -20°C.
<b>Stability:</b>	The primer mix is stable for one year from date of shipping.



[View online »](#)