

Product datasheet for **HP207890**

SPOCK1 Human qPCR Primer Pair (NM_004598)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	6695
Forward Sequence:	GTTCTACTGGCAAAAGCCTCGC
Reverse Sequence:	AGGTTCCGCAACTCCTTGCTG
ACCN:	<u>NM_004598</u> , <u>NM_004598.1</u> , <u>NM_004598.2</u> , <u>NM_004598.3</u> , <u>BC030691</u> , <u>BG704964</u> , <u>BI550122</u> , <u>NM_004598.4</u>
UniProt ID:	<u>Q08629</u>
Synonyms:	SPOCK; TESTICAN; TIC1
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH ₂ O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)