OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for HP208078

TJP2 Human qPCR Primer Pair (NM_004817)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	9414
Forward Sequence:	ATTAGTGCGGGAGGATGCCGTT
Reverse Sequence:	TCTGCCACAAGCCAGGATGTCT
ACCN:	NM_004817, NM_004817.1, NM_004817.2, NM_004817.3, BC027592, BC027592.1, BC028426, NM_004817.4
UniProt ID:	Q9UDY2
Synonyms:	C9DUPq21.11; DFNA51; DUP9q21.11; FHCA1; PFIC4; X104; ZO2
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US