

## Product datasheet for **HP209420**

### **GAS2L1 Human qPCR Primer Pair (NM\_006478)**

#### **Product data:**

<b>Product Type:</b>	qPCR Primer Pairs
<b>Gene ID:</b>	10634
<b>Forward Sequence:</b>	TGCCCTGACCAGTTTCCCATGA
<b>Reverse Sequence:</b>	GTCGTGCTTGCCAGGTAATGC
<b>ACCN:</b>	<a href="#">NM_006478</a> , <a href="#">NM_006478.1</a> , <a href="#">NM_006478.2</a> , <a href="#">NM_006478.3</a> , <a href="#">NM_006478.4</a> , <a href="#">BC011047</a> , <a href="#">BC011047.1</a> , <a href="#">BC001782</a> , <a href="#">BC007624</a> , <a href="#">BI601743</a> , <a href="#">BM144477</a> , <a href="#">BM803267</a>
<b>UniProt ID:</b>	<a href="#">Q99501</a>
<b>Synonyms:</b>	GAR22
<b>Components:</b>	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
<b>Quality Control:</b>	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
<b>Storage:</b>	Store at -20°C.
<b>Stability:</b>	The primer mix is stable for one year from date of shipping.



[View online »](#)