

Product datasheet for **HP209822**

Uroplakin Ia (UPK1A) Human qPCR Primer Pair (NM_007000)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	11045
Forward Sequence:	CACCAAGCAGATGCTGACCTTC
Reverse Sequence:	GGACCAGATGTGCCACAGCATT
ACCN:	<u>BC007817</u> , <u>NM_007000</u> , <u>NM_007000.1</u> , <u>NM_007000.2</u> , <u>NM_007000.3</u> , <u>BC107098</u> , <u>BC107097</u>
UniProt ID:	<u>O00322</u>
Synonyms:	TSPAN21; UP1A; UPIA; UPKA
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)