

## Product datasheet for **HP210772**

### TRAM1 Human qPCR Primer Pair (NM\_014294)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	23471
Forward Sequence:	TCTCCTGTGTGGCGATGGTCTT
Reverse Sequence:	TCTGTTGCTGGGAGGGTGACAT
ACCN:	<a href="#">NM_014294</a> , <a href="#">NM_014294.1</a> , <a href="#">NM_014294.2</a> , <a href="#">NM_014294.3</a> , <a href="#">NM_014294.4</a> , <a href="#">NM_014294.5</a> , <a href="#">BC037738</a> , <a href="#">BC037738.1</a> , <a href="#">BC000687</a> , <a href="#">BC020283</a> , <a href="#">BC032018</a> , <a href="#">BI465346</a> , <a href="#">BQ233660</a> , <a href="#">BT007359</a> , <a href="#">NM_014294.6</a>
UniProt ID:	<a href="#">Q15629</a>
Synonyms:	PNAS8; TRAM; TRAMP
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)