OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for HP213061

METTL2B Human qPCR Primer Pair (NM_018396)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	55798
Forward Sequence:	GGTACTTCTGCGAGATTACGGC
Reverse Sequence:	CTCTGGTTCCATCACCTCTCAC
ACCN:	NM_018396, NM_018396.1, NM_018396.2, BC064929, BC107586, BC121115, BC121116, BP247182, NM_018396.3
UniProt ID:	Q6P1Q9
Synonyms:	METL; METTL2; METTL2A; PSENIP1
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US