

## Product datasheet for **HP214086**

### DC SIGN (CD209) Human qPCR Primer Pair (NM\_021155)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	30835
Forward Sequence:	GCAGTCTTCCAGAAGTAACCGC
Reverse Sequence:	GCTCTCCTCTGTTCCAATACTGC
ACCN:	<u><a href="#">NM_021155</a></u> , <u><a href="#">NM_021155.1</a></u> , <u><a href="#">NM_021155.2</a></u> , <u><a href="#">NM_021155.3</a></u> , <u><a href="#">BC110615</a></u> , <u><a href="#">NM_021155.4</a></u>
UniProt ID:	<u><a href="#">Q9NNX6</a></u>
Synonyms:	CDSIGN; CLEC4L; DC-SIGN; DC-SIGN1; hDC-SIGN
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)