

## Product datasheet for **HP215414**

### DCSTAMP Human qPCR Primer Pair (NM\_030788)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	81501
Forward Sequence:	CTTGCCAGGGTTTGAGGTTAC
Reverse Sequence:	GGGATACAGTTGGTTCAAACAC
ACCN:	<u><a href="#">NM_030788</a></u> , <u><a href="#">NM_030788.1</a></u> , <u><a href="#">NM_030788.2</a></u> , <u><a href="#">NM_030788.3</a></u> , <u><a href="#">BC069349</a></u> , <u><a href="#">BC069349.1</a></u> , <u><a href="#">BC112018</a></u> , <u><a href="#">BC112020</a></u> , <u><a href="#">BC171732</a></u> , <u><a href="#">NM_030788.4</a></u>
UniProt ID:	<u><a href="#">Q9H295</a></u>
Synonyms:	FIND; hDC-STAMP; TM7SF4
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)