OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for HP219483

SLC7A5P2 Human qPCR Primer Pair (NM_199182)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	387254
Forward Sequence:	CGAGACCGAAGATTGGCTACTG
Reverse Sequence:	CTCCTGTCTCAACTCCTGAAGC
ACCN:	NM_199182, NM_199182.1, BC071656, BI758996, BM904244
Synonyms:	MMAA
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH2O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.

View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US