

## Product datasheet for **HP225804**

### UBA52 Human qPCR Primer Pair (NM\_003333)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	7311
Forward Sequence:	GCCTGCGAGGTGGCATTATTGA
Reverse Sequence:	TTCTTGCGGCAGTTGACAGCAC
ACCN:	<a href="#">NM_003333</a> , <a href="#">NM_003333.1</a> , <a href="#">NM_003333.2</a> , <a href="#">NM_003333.3</a> , <a href="#">NM_003333.4</a> , <a href="#">BC101830</a> , <a href="#">BC101830.1</a> , <a href="#">BC101832</a> , <a href="#">BC143668</a> , <a href="#">BE514609</a> , <a href="#">BG035502</a> , <a href="#">BG341101</a> , <a href="#">BQ428515</a> , <a href="#">BQ428688</a> , <a href="#">BU677484</a> , <a href="#">NM_003333.5</a>
UniProt ID:	<a href="#">P62987</a>
Synonyms:	CEP52; HUBCEP52; L40; RPL40
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)