

## Product datasheet for **HP228623**

### MIER1 Human qPCR Primer Pair (NM\_020948)

#### Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	57708
Forward Sequence:	TCTGTTTGGACAGAGGAAGAGTG
Reverse Sequence:	CACCAACTGACCTTGTTCCGGAC
ACCN:	<u><a href="#">NM_020948</a></u> , <u><a href="#">NM_020948.1</a></u> , <u><a href="#">NM_020948.2</a></u> , <u><a href="#">NM_020948.3</a></u> , <u><a href="#">BC125217</a></u> , <u><a href="#">BC108726</a></u> , <u><a href="#">BC017423</a></u> , <u><a href="#">BC066898</a></u> , <u><a href="#">BC125218</a></u> , <u><a href="#">BM987758</a></u> , <u><a href="#">NM_020948.4</a></u>
UniProt ID:	<u><a href="#">Q8N108</a></u>
Synonyms:	ER1; MI-ER1
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH <sub>2</sub> O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)