

Product datasheet for **HP232335**

CDK5RAP2 Human qPCR Primer Pair (NM_018249)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	55755
Forward Sequence:	ACCGATCAACACTGCACTCAGC
Reverse Sequence:	GGATTGGCAAGCGGGACTTCTT
ACCN:	<u>BC019577</u> , <u>NM_018249</u> , <u>NM_018249.1</u> , <u>NM_018249.2</u> , <u>NM_018249.4</u> , <u>NM_018249.5</u> , <u>BC019577.1</u> , <u>BC004526</u> , <u>BC136275</u> , <u>BC143732</u> , <u>BC143734</u> , <u>BC143753</u> , <u>BC143755</u> , <u>BC143760</u> , <u>BC143762</u> , <u>BC143764</u> , <u>BC146782</u> , <u>BK005504</u> , <u>BQ428975</u> , <u>BX471011</u> , <u>BX495012</u> , <u>BX537421</u> , <u>BX537708</u> , <u>BX537759</u> , <u>BX640896</u> , <u>BX953708</u> , <u>BX953750</u> , <u>NM_018249.6</u>
UniProt ID:	<u>Q96SN8</u>
Synonyms:	C48; Cep215; MCPH3
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions). Before use, reconstitute the primer mix in 200 µl dH ₂ O to make a final concentration of 10 µM.
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)