

Product datasheet for **HP233666**

OTOA Human qPCR Primer Pair (NM_170664)

Product data:

Product Type:	qPCR Primer Pairs
Gene ID:	146183
Forward Sequence:	GCTCCATAGACACTGTGGCTTC
Reverse Sequence:	GCTCTTCAGGTCCTGGATACTG
ACCN:	<u>NM_170664</u> , <u>NM_170664.1</u> , <u>NM_170664.2</u> , <u>BC129993</u> , <u>BC038458</u> , <u>BC040551</u> , <u>BC129992</u> , <u>BK000099</u> , <u>NM_170664.3</u>
UniProt ID:	<u>Q7RTW8</u>
Synonyms:	CT108; DFNB22
Components:	1 vial of lyophilized qSTAR qPCR primer mix (1 nmol each primer, sufficient for 200 reactions)
Quality Control:	The primer mix has been tested to generate satisfactory qPCR data on ABI 7900HT by using the following PCR program: Stage 1: Activation: 50 °C for 2 min; Stage 2: pre-soak:95 °C for 10 min; Stage 3: Denaturation: 95 °C for 15 sec, Annealing: 60°C for 1 min; Stage 4: Melting curve: 95°C for 15 sec, 60°C for 15 sec, 95°C for 15 sec.
Storage:	Store at -20°C.
Stability:	The primer mix is stable for one year from date of shipping.



[View online »](#)