

Product datasheet for KN200478LP

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ERCC1 Human Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 Luciferase-Puro donor, 1 scramble control

Donor DNA: Luciferase-Puro

Symbol: ERCC1 Locus ID: 2067

Components: KN200478G1, ERCC1 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN200478G2, ERCC1 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN200478LPD, donor DNA containing left and right homologous arms and Luciferase-Puro

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: NM 001166049, NM 001983, NM 202001, NM 001369409, NM 001369414, NM 001369416,

NM 001369419, NM 001369408, NM 001369410, NM 001369411, NM 001369412,

NM 001369413, NM 001369415, NM 001369417, NM 001369418

UniProt ID: P07992

Synonyms: COFS4; RAD10; UV20




Summary:

The product of this gene functions in the nucleotide excision repair pathway, and is required for the repair of DNA lesions such as those induced by UV light or formed by electrophilic compounds including cisplatin. The encoded protein forms a heterodimer with the XPF endonuclease (also known as ERCC4), and the heterodimeric endonuclease catalyzes the 5' incision in the process of excising the DNA lesion. The heterodimeric endonuclease is also involved in recombinational DNA repair and in the repair of inter-strand crosslinks. Mutations in this gene result in cerebrooculofacioskeletal syndrome, and polymorphisms that alter expression of this gene may play a role in carcinogenesis. Multiple transcript variants encoding different isoforms have been found for this gene. The last exon of this gene overlaps with the CD3e molecule, epsilon associated protein gene on the opposite strand. [provided by RefSeq, Oct 2009]

Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter