

## **Product datasheet for KN215643LP**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **ULK1 Human Gene Knockout Kit (CRISPR)**

#### **Product data:**

**Product Type:** Knockout Kits (CRISPR)

**Format:** 2 gRNA vectors, 1 Luciferase-Puro donor, 1 scramble control

**Donor DNA:** Luciferase-Puro

Symbol: ULK1 Locus ID: 8408

**Components:** KN215643G1, ULK1 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN215643G2, ULK1 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN215643LPD, donor DNA containing left and right homologous arms and Luciferase-Puro

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

**Disclaimer:** These products are manufactured and supplied by OriGene under license from ERS. The kit is

designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

 RefSeq:
 NM 003565

 UniProt ID:
 075385

**Synonyms:** ATG1; ATG1A; hATG1; UNC51; Unc51.1

**Summary:** Serine/threonine-protein kinase involved in autophagy in response to starvation. Acts

upstream of phosphatidylinositol 3-kinase PIK3C3 to regulate the formation of

autophagophores, the precursors of autophagosomes. Part of regulatory feedback loops in autophagy: acts both as a downstream effector and negative regulator of mammalian target of rapamycin complex 1 (mTORC1) via interaction with RPTOR. Activated via phosphorylation

by AMPK and also acts as a regulator of AMPK by mediating phosphorylation of AMPK subunits PRKAA1, PRKAB2 and PRKAG1, leading to negatively regulate AMPK activity. May phosphorylate ATG13/KIAA0652 and RPTOR; however such data need additional evidences. Plays a role early in neuronal differentiation and is required for granule cell axon formation. May also phosphorylate SESN2 and SQSTM1 to regulate autophagy (PubMed:25040165).

[UniProtKB/Swiss-Prot Function]





# **Product images:**

### Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter