

Product datasheet for KN220079LP

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Wilms Tumor Protein (WT1) Human Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 Luciferase-Puro donor, 1 scramble control

Donor DNA: Luciferase-Puro

Symbol: Wilms Tumor Protein

Locus ID: 7490

Components: KN220079G1, Wilms Tumor Protein gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN220079G2, Wilms Tumor Protein gRNA vector 2 in pCas-Guide CRISPR vector (GE100002) **KN220079LPD**, donor DNA containing left and right homologous arms and Luciferase-Puro

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: NM 000378, NM 001198551, NM 001198552, NM 024424, NM 024425, NM 024426,

NM 001367854, NR 160306

UniProt ID: P19544

Synonyms: AWT1; EWS-WT1; GUD; NPHS4; WAGR; WIT-2; WT33

Summary: This gene encodes a transcription factor that contains four zinc-finger motifs at the C-

terminus and a proline/glutamine-rich DNA-binding domain at the N-terminus. It has an essential role in the normal development of the urogenital system, and it is mutated in a small subset of patients with Wilms tumor. This gene exhibits complex tissue-specific and polymorphic imprinting pattern, with biallelic, and monoallelic expression from the maternal and paternal alleles in different tissues. Multiple transcript variants have been described. In several variants, there is evidence for the use of a non-AUG (CUG) translation initiation codon upstream of, and in-frame with the first AUG. Authors of PMID:7926762 also provide evidence that WT1 mRNA undergoes RNA editing in human and rat, and that this process is tissue-

restricted and developmentally regulated. [provided by RefSeq, Mar 2015]





Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter