

Product datasheet for KN220731BN

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

E Cadherin (CDH1) Human Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 mBFP-Neo donor, 1 scramble control

Donor DNA:mBFP-NeoSymbol:E Cadherin

Locus ID: 999

Components: KN220731G1, E Cadherin gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN220731G2, E Cadherin gRNA vector 2 in pCas-Guide CRISPR vector (GE100002) **KN220731BND**, donor DNA containing left and right homologous arms and mBFP-Neo

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: <u>NM 001317184, NM 001317185, NM 001317186, NM 004360</u>

UniProt ID: <u>P12830</u>

Synonyms: Arc-1; CD324; CDHE; ECAD; LCAM; UVO


Summary: This gene encodes a classical cadherin of the cadherin superfamily. Alternative splicing

results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature glycoprotein. This calcium-dependent cell-cell adhesion protein is comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail. Mutations in this gene are correlated with gastric, breast, colorectal, thyroid and ovarian cancer. Loss of function of this gene is thought to contribute to cancer progression by increasing proliferation, invasion, and/or metastasis. The ectodomain of this protein mediates bacterial adhesion to mammalian cells and the cytoplasmic domain is required for internalization. This gene is present in a gene cluster with other members of the cadherin family on chromosome 16. [provided by RefSeq, Nov 2015]



Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter