OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for KN221382

Nicotinic Acetylcholine Receptor alpha 7 (CHRNA7) Human Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 GFP-puro donor, 1 scramble control

Donor DNA: GFP-puro

Symbol: Nicotinic Acetylcholine Receptor alpha 7

Locus ID: 1139

Components: **KN221382G1**, Nicotinic Acetylcholine Receptor alpha 7 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002), Target Sequence: TTTACCGTGCAGGAGCGACG
KN221382G2, Nicotinic Acetylcholine Receptor alpha 7 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002), Target Sequence: GCTGCTCGCCGGGAGGCGTC
KN221382D, donor DNA containing left and right homologous arms and GFP-puro functional cassette.
Homologous arm and GFP-puro sequences:

pUC vector backbone in gray; Left arm sequence in blue; GFP-puro in green; Right arm in violet

```
AAGGCGAGTT ACATGATCCC CCATGTTGTG CAAAAAAGCG GTTAGCTCCT TCGGTCCTCC GATCGTTGTC
AGAAGTAAGT TGGCCGCAGT GTTATCACTC ATGGTTATGG CAGCACTGCA TAATTCTCTT ACTGTCATGC
CATCCGTAAG ATGCTTTTCT GTGACTGGTG AGTACTCAAC CAAGTCATTC TGAGAATAGT GTATGCGGCG
ACCGAGTTGC TCTTGCCCGG CGTCAATACG GGATAATACC GCGCCACATA GCAGAACTTT AAAAGTGCTC
ATCATTGGAA AACGTTCTTC GGGGCGAAAA CTCTCAAGGA TCTTACCGCT GTTGAGATCC AGTTCGATGT
AACCCACTCG TGCACCCAAC TGATCTTCAG CATCTTTTAC TTTCACCAGC GTTTCTGGGT GAGCAAAAAC
AGGAAGGCAA AATGCCGCAA AAAAGGGAAT AAGGGCGACA CGGAAATGTT GAATACTCAT ACTCTTCCTT
TTTCAATATT ATTGAAGCAT TTATCAGGGT TATTGTCTCA TGAGCGGATA CATATTTGAA TGTATTTAGA
AAAATAAACA AATAGGGGTT CCGCGCACAT TTCCCCGAAA AGTGCCACCT GACGTCTAAG AAACCATTAT
TATCATGACA TTAACCTATA AAAATAGGCG TATCACGAGG CCCTTTCGGG TCGCGCGTTT CGGTGATGAC
GGTGAAAACC TCTGACACAT GCAGCTCCCG TTGACGGTCA CAGCTTGTCT GTAAGCGGAT GCCGGGAGCA
GACAAGCCCG TCAGGGCGCG TCAGCGGGTG TTGGCGGGTG TCGGGGCTGG CTTAACTATG CGGCATCAGA
GCAGATTGTA CTGAGAGTGC ACCATAAAAT TGTAAACGTT AATATTTTGT TAAAATTCGC GTTAAATTTT
TGTTAAATCA GCTCATTTTT TAACCAATAG GCCGAAATCG GCAAAATCCC TTATAAATCA AAAGAATAGC
CCGAGATAGG GTTGAGTGTT GTTCCAGTTT GGAACAAGAG TCCACTATTA AAGAACGTGG ACTCCAACGT
CAAAGGGCGA AAAACCGTCT ATCAGGGCGA TGGCCCACTA CGTGAACCAT CACCCAAATC AAGTTTTTTG
GGGTCGAGGT GCCGTAAAGC ACTAAATCGG AACCCTAAAG GGAGCCCCCG ATTTAGAGCT TGACGGGGAA
AGCCGGCGAA CGTGGCGAGA AAGGAAGGGA AGAAAGCGAA AGGAGCGGGC GCTAGGGCGC TGGCAAGTGT
AGCGGTCACG CTGCGCGTAA CCACCACACC CGCCGCGCTT AATGCGCCGC TACAGGGCGC GTACTATGGT
TGCTTTGACG TATGCGGTGT GAAATACCGC ACAGATGCGT AAGGAGAAAA TACCGCATCA GGCGCCATTC
GCCATTCAGG CTGCGCAACT GTTGGGAAGG GCGATCGGTG CGGGCCTCTT CGCTATTACG CCAGCTGGCG
AAAGGGGGAT GTGCTGCAAG GCGATTAAGT TGGGTAACGC CAGGGTTTTC CCAGTCACGA CGTTGTAAAA
CGACGGCCAG TGAATTGGAG GCTACAGTCA GTGGAGAGGA CTTTCACTGA CTGACTGACT GGGTCTCAAC
```

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

View online »

CTCTCGCGGA AAGCGGGAGG AGGGGGGCTT CCTCGGGTCT GTTTTGTCTG GTTGGCAAGA CTTCCGAAGC
CTGGTTCCCT ATAGCTGCCA CCCGGTCGCT GGCGTGGAGG AGGGAGTCCG GGAAGACTGG ACCCCAGAAT
TGTCCCGGCT TTCTCCCGAG TGCCCAGCGC AGCTTCTGGC TGAGAGCGGG AGCGGGCTGA GTGGGGACAA
AGAACGCAAG GGAGAGGTAG AGCCTGGCCT TGGGCAGCCC CTGGCCTGGC CAGAGGCGCG AGGCCGAGAG
CCCGCTCGGT GGAGACTGGG GGTGGAGGTG CCCGGAGCGT ACCCAGCGCC GGGAGTACCT CCCGCTCACA
CCTCGGGCTG CAGTTCCCTG GGTGGCCGCC GAGACGCTGG CCCGGGCTGG AGGGATGGGG GGGCGGGGAC
GGGGGCGGGG GCGGGGCTCG TCACGTGGAG AGGCGCGCGG GGGCGGGCGG GGCGGGGGCG CGCGCCCGGC
TCCTTAAAGG CGCGCGAGCC GAGCGGCGAG GTGCCTCTGT GGCCGCAGGC GCAGGCCCGG GCGACAGCCG
AGACGTGGAG CGCGCCGGCT CGCTGCAGCT CCGGGACTCA ACACTAGCAT GGAGAGCGAC GAGAGCGGCC
TGCCCGCCAT GGAGATCGAG TGCCGCATCA CCGGCACCCT GAACGGCGTG GAGTTCGAGC TGGTGGGCGG
CGGAGAGGGC ACCCCCGAGC AGGGCCGCAT GACCAACAAG ATGAAGAGCA CCAAAGGCGC CCTGACCTTC
AGCCCCTACC TGCTGAGCCA CGTGATGGGC TACGGCTTCT ACCACTTCGG CACCTACCCC AGCGGCTACG
AGAACCCCTT CCTGCACGCC ATCAACAACG GCGGCTACAC CAACACCCGC ATCGAGAAGT ACGAGGACGG
CGGCGTGCTG CACGTGAGCT TCAGCTACCG CTACGAGGCC GGCCGCGTGA TCGGCGACTT CAAGGTGATG
GGCACCGGCT TCCCCGAGGA CAGCGTGATC TTCACCGACA AGATCATCCG CAGCAACGCC ACCGTGGAGC
ACCTGCACCC CATGGGCGAT AACGATCTGG ATGGCAGCTT CACCCGCACC TTCAGCCTGC GCGACGGCGG
CTACTACAGC TCCGTGGTGG ACAGCCACAT GCACTTCAAG AGCGCCATCC ACCCCAGCAT CCTGCAGAAC
GGGGGCCCCA TGTTCGCCTT CCGCCGCGTG GAGGAGGATC ACAGCAACAC CGAGCTGGGC ATCGTGGAGT
ACCAGCACGC CTTCAAGACC CCGGATGCAG ATGCCGGTGA AGAAAGAGTT TAAGAATTCC GATCATATTC
AATAACCCTT AATATAACTT CGTATAATGT ATGCTATACG AAGTTATTAG GTCTGAAGAG GAGTTTACGT
CCAGCCAAGC TTAGGATCTC GACCTCGAAA TTCTACCGGG TAGGGGAGGC GCTTTTCCCA AGGCAGTCTG
GAGCATGCGC TTTAGCAGCC CCGCTGGGCA CTTGGCGCTA CACAAGTGGC CTCTGGCCTC GCACACATTC
CACATCCACC GGTAGGCGCC AACCGACTCC GTTCTTTGGT GGCCCCTTCG CGCCACCTTC TACTCCTCCC
CTAGTCAGGA AGTTCCCCCC CGCCCCGCAG CTCGCGTCGT GCAGGACGTG ACAAATGGAA GTAGCACGTC
TCACTAGTCT CGTGCAGATG GACAGCACCG CTGAGCAATG GAAGCGGGTA GGCCTTTGGG GCAGCGGCCA
ATAGCAGCTT TGCTCCTTCG CTTTCTGGGC TCAGAGGCTG GGAAGGGGTG GGTCCGGGGG CGGGCTCAGG
GGCGGGCTCA GGGGCGGGGC GGGCGCCCGA AGGTCCTCCG GAGGCCCGGC ATTCTGCACG CTTCAAAAGC
GCACGTCTGC CGCGCTGTTC TCCTCTTCCT CATCTCCGGG CCTTTCGACC TGCATCCATC TAGATCTCGA
GCAGCTGAAG CTTACCATGA CCGAGTACAA GCCCACGGTG CGCCTCGCCA CCCGCGACGA CGTCCCCAGG
GCCGTACGCA CCCTCGCCGC CGCGTTCGCC GACTACCCCG CCACGCGCCA CACCGTCGAT CCGGACCGCC
ACATCGAGCG GGTCACCGAG CTGCAAGAAC TCTTCCTCAC GCGCGTCGGG CTCGACATCG GCAAGGTGTG
GGTCGCGGAC GACGGCGCCG CGGTGGCGGT CTGGACCACG CCGGAGAGCG TCGAAGCGGG GGCGGTGTTC
GCCGAGATCG GCCCGCGCAT GGCCGAGTTG AGCGGTTCCC GGCTGGCCGC GCAGCAACAG ATGGAAGGCC
TCCTGGCGCC GCACCGGCCC AAGGAGCCCG CGTGGTTCCT GGCCACCGTC GGCGTCTCGC CCGACCACCA
GGGCAAGGGT CTGGGCAGCG CCGTCGTGCT CCCCGGAGTG GAGGCGGCCG AGCGCGCCGG GGTGCCCGCC
TTCCTGGAGA CCTCCGCGCC CCACAACCTC CCCTTCTACG AGCGGCTCGG CTTCACCGTC ACCGCCGACG
TCGAGGTGCC CGAAGGACCG CGCACCTGGT GCATGACCCG CAAGCCCGGT GCCTGACGCC CGCCCCACGA
CCCGCAGCGC CCGACCGAAA GGAGCGCACG ACCCCATGCA TCGATGATAT CAGATCCCCG GGATGCAGAA
ATTGATGATC TATTAAACAA TAAAGATGTC CACTAAAATG GAAGTTTTTC CTGTCATACT TTGTTAAGAA
GGGTGAGAAC AGAGTACCTA CATTTTGAAT GGAAGGATTG GAGCTACGGG GGTGGGGGTG GGGTGGGATT
AGATAAATGC CTGCTCTTTA CTGAAGGCTC TTTACTATTG CTTTATGATA ATGTTTCATA GTTGGATATC
ATAATTTAAA CAAGCAAAAC CAAATTAAGG GCCAGCTCAT TCCTCCCACT CATGATCTAT AGATCTATAG
ATCTCTCGTG GGATCATTGT TTTTCTCTTG ATTCCCACTT TGTGGTTCTA AGTACTGTGG TTTCCAAATG
TGTCAGTTTC ATAGCCTGAA GAACGAGATC AGCAGCCTCT GTTCCACATA CACTTCATTC TCAGTATTGT
TTTGCCAAGT TCTAATTCCA TCAGAAGCTG GTCGAGATCC GGAACCCTTA ATATAACTTC GTATAATGTA
TGCTATACGA AGTTATTAGG TCCCTCGAAG AGGTTCACTA GGCGCGCCCT GCCTCCCCGC CCTCCACTCC
TCCGTGGGAT CCCGGGCACA TCCCGGGCGC CTCTGTGCGC CCCGCGCCTG GGCCAGGTTT GGGATCTCCC
CGCCGCCGGG GAGGGGCAGC GGGGGCGCTG CGGGGGCTGC TTGTCTGGGC TGCACCGGGT GGGCGGCGGG
GGACGCCGGC AGGAGGGAGT CGGGGGTACC CCCGCCGGCC TGCCCTGAGC CCCCTGCCCG GGTCTTCTCT
CCTTAAGTGT CCCTGCAAGG CGAGTTCCAG AGGAAGCTTT ACAAGGAGCT GGTCAAGAAC TACAATCCCT
TGGAGAGGCC CGTGGCCAAT GACTCGCAAC CACTCACCGT CTACTTCTCC CTGAGCCTCC TGCAGATCAT
GGACGTGGTG AGTCCCGCCT GGCTACAGGG CTGCCCTCTC CCCTTCCTGG GCTCCGAGGG GCTTTTTAGA

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CAGCGTCGGG CGGCCAGGCG GTGGAGCTCG GCTGGGGCAC TCTAGTTGGC CCCAAGCTAG GCAGGGCCAT
GCTCTGAGTC TGTCCCCAGC CTGCCCTCTC CTGAGTGTCT CATTTCTCGG TTTCCCCTCC AGCCAAGGAG
GGACCTGGTA AAGCTTATTC CATCACCCTG GCCACCTGTG CATGGTTACT TGGGTCCCAC CTTTCTCTCA
GGTTAGAAAC TCAAGCATCC TGAGCTGGGA CTCAGTAGCA AGAACAGGTC CAAGAGACCA CTGACTGACT
GACTGGAAAG AGGAAGGGCT GGAAGAGGAA GGAGCTTGGC GTAATCATGG TCATAGCTGT TTCCTGTGTG
AAATTGTTAT CCGCTCACAA TTCCACACAA CATACGAGCC GGAAGCATAA AGTGTAAAGC CTGGGGTGCC
TAATGAGTGA GCTAACTCAC ATTAATTGCG TTGCGCTCAC TGCCCGCTTT CCAGTCGGGA AACCTGTCGT
GCCAGCTGCA TTAATGAATC GGCCAACGCG CGGGGAGAGG CGGTTTGCGT ATTGGGCGCT CTTCCGCTTC
CTCGCTCACT GACTCGCTGC GCTCGGTCGT TCGGCTGCGG CGAGCGGTAT CAGCTCACTC AAAGGCGGTA
ATACGGTTAT CCACAGAATC AGGGGATAAC GCAGGAAAGA ACATGTGAGC AAAAGGCCAG CAAAAGGCCA
GGAACCGTAA AAAGGCCGCG TTGCTGGCGT TTTTCCATAG GCTCCGCCCC CCTGACGAGC ATCACAAAAA
TCGACGCTCA AGTCAGAGGT GGCGAAACCC GACAGGACTA TAAAGATACC AGGCGTTTCC CCCTGGAAGC
TCCCTCGTGC GCTCTCCTGT TCCGACCCTG CCGCTTACCG GATACCTGTC CGCCTTTCTC CCTTCGGGAA
GCGTGGCGCT TTCTCATAGC TCACGCTGTA GGTATCTCAG TTCGGTGTAG GTCGTTCGCT CCAAGCTGGG
CTGTGTGCAC GAACCCCCCG TTCAGCCCGA CCGCTGCGCC TTATCCGGTA ACTATCGTCT TGAGTCCAAC
CCGGTAAGAC ACGACTTATC GCCACTGGCA GCAGCCACTG GTAACAGGAT TAGCAGAGCG AGGTATGTAG
GCGGTGCTAC AGAGTTCTTG AAGTGGTGGC CTAACTACGG CTACACTAGA AGAACAGTAT TTGGTATCTG
CGCTCTGCTG AAGCCAGTTA CCTTCGGAAA AAGAGTTGGT AGCTCTTGAT CCGGCAAACA AACCACCGCT
GGTAGCGGTG GTTTTTTTGT TTGCAAGCAG CAGATTACGC GCAGAAAAAA AGGATCTCAA GAAGATCCTT
TGATCTTTTC TACGGGGTCT GACGCTCAGT GGAACGAAAA CTCACGTTAA GGGATTTTGG TCATGAGATT
ATCAAAAAGG ATCTTCACCT AGATCCTTTT AAATTAAAAA TGAAGTTTTA AATCAATCTA AAGTATATAT
GAGTAAACTT GGTCTGACAG TTACCAATGC TTAATCAGTG AGGCACCTAT CTCAGCGATC TGTCTATTTC
GTTCATCCAT AGTTGCCTGA CTCCCCGTCG TGTAGATAAC TACGATACGG GAGGGCTTAC CATCTGGCCC
CAGTGCTGCA ATGATACCGC GAGAACCACG CTCACCGGCT CCAGATTTAT CAGCAATAAA CCAGCCAGCC
GGAAGGGCCG AGCGCAGAAG TGGTCCTGCA ACTTTATCCG CCTCCATCCA GTCTATTAAT TGTTGCCGGG
AAGCTAGAGT AAGTAGTTCG CCAGTTAATA GTTTGCGCAA CGTTGTTGCC ATTGCTACAG GCATCGTGGT
GTCACGCTCG TCGTTTGGTA TGGCTTCATT CAGCTCCGGT TCCCAACGAT C

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.

RefSeq: NM_000746, NM_001190455, NR_046324, N54079

UniProt ID: P36544

Synonyms: CHRNA7-2; NACHRA7

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Summary: The nicotinic acetylcholine receptors (nAChRs) are members of a superfamily of ligand-gated ion channels that mediate fast signal transmission at synapses. The nAChRs are thought to be hetero-pentamers composed of homologous subunits. The proposed structure for each subunit is a conserved N-terminal extracellular domain followed by three conserved transmembrane domains, a variable cytoplasmic loop, a fourth conserved transmembrane domain, and a short C-terminal extracellular region. The protein encoded by this gene forms a homo-oligomeric channel, displays marked permeability to calcium ions and is a major component of brain nicotinic receptors that are blocked by, and highly sensitive to, alpha-bungarotoxin. Once this receptor binds acetylcholine, it undergoes an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. This gene is located in a region identified as a major susceptibility locus for juvenile myoclonic epilepsy and a chromosomal location involved in the genetic transmission of schizophrenia. An evolutionarily recent partial duplication event in this region results in a hybrid containing sequence from this gene and a novel FAM7A gene. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2012]

Product images:



Target gene knocked out, GFP under native gene promoter, Puro under PGK promoter

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.
©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US