

Product datasheet for KN221762LP

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NOTCH4 Human Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 Luciferase-Puro donor, 1 scramble control

Donor DNA: Luciferase-Puro

Symbol: NOTCH4

Locus ID: 4855

Components: KN221762G1, NOTCH4 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN221762G2, NOTCH4 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN221762LPD, donor DNA containing left and right homologous arms and Luciferase-Puro

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: <u>NM 004557</u>, <u>NR 134949</u>, <u>NR 134950</u>

UniProt ID: Q99466
Synonyms: INT3

Summary: This gene encodes a member of the NOTCH family of proteins. Members of this Type I

transmembrane protein family share structural characteristics including an extracellular domain consisting of multiple epidermal growth factor-like (EGF) repeats, and an intracellular domain consisting of multiple different domain types. Notch signaling is an evolutionarily conserved intercellular signaling pathway that regulates interactions between physically adjacent cells through binding of Notch family receptors to their cognate ligands. The encoded preproprotein is proteolytically processed in the trans-Golgi network to generate two polypeptide chains that heterodimerize to form the mature cell-surface receptor. This receptor may play a role in vascular, renal and hepatic development. Mutations in this gene may be associated with schizophrenia. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided

by RefSeq, Jan 2016]





Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter