

# Product datasheet for KN314948LP

## Rnf31 Mouse Gene Knockout Kit (CRISPR)

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Knockout Kits (CRISPR)
Format:	2 gRNA vectors, 1 Luciferase-Puro donor, 1 scramble control
Donor DNA:	Luciferase-Puro
Symbol:	Rnf31
Locus ID:	268749
Components:	<ul> <li>KN314948G1, Rnf31 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)</li> <li>KN314948G2, Rnf31 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)</li> <li>KN314948LPD, donor DNA containing left and right homologous arms and Luciferase-Puro functional cassette.</li> <li>GE100003, scramble sequence in pCas-Guide vector</li> </ul>
Disclaimer:	These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.
RefSeq:	<u>NM 194346</u>
UniProt ID:	<u>Q924T7</u>
Synonyms:	AL033293; BC031509; Flj10111; HOIP; mFLJ00217; Paul
Summary:	E3 ubiquitin-protein ligase component of the LUBAC complex which conjugates linear ('Met- 1'-linked) polyubiquitin chains to substrates and plays a key role in NF-kappa-B activation and regulation of inflammation (PubMed:28701375). LUBAC conjugates linear polyubiquitin to IKBKG and RIPK1 and is involved in activation of the canonical NF-kappa-B and the JNK signaling pathways (By similarity). Linear ubiquitination mediated by the LUBAC complex interferes with TNF-induced cell death and thereby prevents inflammation (PubMed:28701375). Recruited to the TNF-R1 signaling complex (TNF-RSC) following polyubiquitination of TNF-RSC components by BIRC2 and/or BIRC3 and to conjugate linear polyubiquitin to IKBKG and possibly other components contributing to the stability of the complex (By similarity). Together with OTULIN, the LUBAC complex regulates the canonical Wnt signaling during angiogenesis (By similarity). Binds polyubiquitin of different linkage



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

types (By similarity).[UniProtKB/Swiss-Prot Function]

#### **Product images:**



RFP, Luc, and mBFP will be under native gene promoter

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US