

Product datasheet for KN315523BN

Selenop Mouse Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 mBFP-Neo donor, 1 scramble control

Donor DNA: mBFP-Neo Symbol: Selenop Locus ID: 20363

KN315523G1, Selenop gRNA vector 1 in pCas-Guide CRISPR vector (GE100002) Components:

KN315523G2, Selenop gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN315523BND, donor DNA containing left and right homologous arms and mBFP-Neo

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

> designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: NM 001042613, NM 001042614, NM 009155

UniProt ID: P70274

Synonyms: AU018766; D15Ucla1; Se-P; selp; Sepp1



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Summary:

This gene encodes a selenoprotein that is predominantly expressed in the liver and secreted into the plasma. This selenoprotein is unique in that it contains multiple selenocysteine (Sec) residues per polypeptide (10 in mouse), and accounts for most of the selenium in plasma. It has been implicated as an extracellular antioxidant, and in the transport of selenium to extrahepatic tissues via apolipoprotein E receptor-2 (apoER2). Mice lacking this gene exhibit neurological dysfunction, suggesting its importance in normal brain function. Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. The mRNA for this selenoprotein contains two SECIS elements. Alternatively spliced transcript variants differing in 5' non-coding region have been described for this gene. Expression of these variants varies in different tissues and developmental stages (PMID:23064117). [provided by RefSeq, Feb 2017]

Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter