

Product datasheet for KN318324BN

Tsc22d3 Mouse Gene Knockout Kit (CRISPR)

Product data:

Product Type: Knockout Kits (CRISPR)

Format: 2 gRNA vectors, 1 mBFP-Neo donor, 1 scramble control

Donor DNA: mBFP-Neo Tsc22d3 Symbol: Locus ID: 14605

KN318324G1, Tsc22d3 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002) Components:

KN318324G2, Tsc22d3 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN318324BND, donor DNA containing left and right homologous arms and mBFP-Neo

functional cassette.

GE100003, scramble sequence in pCas-Guide vector

Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is

> designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the

experimental process.

RefSeq: NM 001077364, NM 010286, NR 122039

UniProt ID: Q9Z2S7

Synonyms: DIP; Dsip1; Gilz; Tilz3; TSC-22R

Summary: Protects T-cells from IL2 deprivation-induced apoptosis through the inhibition of FOXO3A

> transcriptional activity that leads to the down-regulation of the pro-apoptotic factor BCL2L11. In macrophages, plays a role in the anti-inflammatory and immunosuppressive effects of glucocorticoids and IL10. In T-cells, inhibits anti-CD3-induced NFKB1 nuclear translocation. In vitro, suppresses AP1 and NFKB1 DNA-binding activities (By similarity). Isoform 1 and isoform 4 inhibit myogenic differentiation and mediate anti-myogenic effects of glucocorticoids by binding and regulating MYOD1 and HDAC1 transcriptional activity resulting in reduced

expression of MYOG.[UniProtKB/Swiss-Prot Function]



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:

Donor Vector Edited Chromosome



RFP, Luc, and mBFP will be under native gene promoter