

Product datasheet for **KN409282**

GJB7 Human Gene Knockout Kit (CRISPR)

Product data:

Product Type:	Knockout Kits (CRISPR)
Format:	2 gRNA vectors, 1 linear donor
Donor DNA:	EF1a-GFP-P2A-Puro
Symbol:	GJB7
Locus ID:	375519



Components:

KN409282G1, GJB7 gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)

KN409282G2, GJB7 gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)

KN409282D, Linear donor DNA containing LoxP-EF1a-tGFP-P2A-Puro-LoxP:

The sequence below is cassette sequence only. The linear donor DNA also contains proprietary target sequence.

LoxP-EF1A-tGFP-P2A-Puro-LoxP (2739 bp)

```

ATAACTTCGT ATAATGTATG CTATACGAAG TTATCGTGAG GCTCCGGTGC CCGTCAGTGG GCAGAGCGCA CATCGCCCAC
AGTCCCCGAG AAGTTGGGGG GAGGGGTCGG CAATTGAACC GGTGCCTAGA GAAGGTGGCG CGGGGTA AAC TGGGAAAGTG
ATGTCGTGTA CTGGCTCCGC CTTTTTCCCG AGGGTGGGGG AGAACCGTAT ATAAGTCGAG TAGTCGCCGT GAACGTTCTT
TTTCGCAACG GGTTCGCGC CAGAACACAG GTAAGTGCCG TGTGTGGTTC CCGCGGGCCT GGCCTCTTTA CGGGTTATGG
CCCTTGCGTG CCTTGAATTA CTTCCACCTG GCTGCAGTAC GTGATTCTTG ATCCCGAGCT TCGGGTTGGA AGTGGGTGGG
AGAGTTCGAG GCCTTGCGCT TAAGGAGCCC CTTGCGCTCG TGCTTGAGTT GAGGCTGGC CTGGGCGCTG GGGCCGCCG
GTGCGAATCT GGTGGCACCT TCGCGCTGT CTCGCTGCTT TCGATAAGTC TCTAGCCATT TAAATTTTTT GATGACCTGC
TGCGACGCTT TTTTCTGGC AAGATAGTCT TGAAATGCG GGCCAAGATC TGCACACTGG TATTCGGTT TTTGGGGCCG
CGGGCGCGA CGGGGCCCGT GCGTCCCAGC GCACATGTTC GGCGAGGCGG GGCTGCGAG CGCGGCCACC GAGAATCGGA
CGGGGTAGT CTAAGCTGG CCGCCTGCT CTGGTGCCTG GCCTCGCGCC GCCGTGTATC GCCCCGCCCT GGGCGCAAG
GCTGGCCCGG TCGCACAGC TTGCGTGAGC GAAAGATGG CCGCTTCCCG GCCCTGCTGC AGGGAGCTCA AAATGGAGGA
CGCGCGCTC GGGAGAGCGG GCGGGTGAAG CACCCACACA AAGGAAAAGG GCCTTCCGT CCTCAGCCGT CGCTTCATGT
GACTCCACGG AGTACCGGGC GCCGTCCAGG CACCTCGATT AGTTCGCG CTTTTGGAGT ACCTCGCTT TAGGTTGGGG
GGAGGGGTTT TATGCGATGG AGTTTCCCA CACTGAGTGG GTGGAGACTG AAGTTAGGCC AGCTTGGCAC TTGATGTAAT
TCTCCTTGA ATTTCCCTT TTTGAGTTG GATCTTGGT CATTCTAAG CCTCAGACAG TGGTTCAAAG TTTTCTTCT
CCATTTACAG TGTCTGAAT GGAGAGCGAC GAGAGCGGCG TGCCCGCCAT GGAGATCGAG TGCCGCATCA CCGGACCCCT
GAACGGCGTG GAGTTCGAGC TGGTGGGCGG CGGAGAGGGC ACCCCGAGC AGGGCCGCAT GACCAACAAG ATGAAGAGCA
CCAAAGGCGC CCTGACCTTC AGCCCTACC TGCTGAGCCA CGTGATGGG TACGGCTTCT ACCACTTCGG CACTACCCC
AGCGGCTACG AGAACCCCTT CCTGCACGCC ATCAACAACG GCGGCTACAC CAACACCCG ATCGAGAAGT ACGAGGACGG
CGGCGTGCTG CACGTGAGCT TCAGTACCG CTACGAGGCC GGCCGCGTGA TCGGCGACTT CAAGGTGATG GGCACCCGCT
TCCCGGAGGA CAGCGTGATC TTCACCGACA AGATCATCCG CAGCAACGCC ACCGTGGAGC ACCTGCACCC CATGGGCGAT
AACGATCTGG ATGGCAGCTT CACCCGCACC TTCAGCCTGC GCGACGGCGG CTACTACAGC TCCGTGGTGG ACAGCCACAT
GCACTTCAAG AGCGCCATCC ACCCCAGCAT CCTGCAGAAC GGGGGCCCCA TGTTGCGCTT CCGCCGCGTG GAGGAGGATC
ACAGCAACAC CGAGCTGGG ATCGTGGAGT ACCAGCACGC CTTCAAGACC CCGGATGCG ATGCCGGTGA AGAAAGAGGA
AGCGGAGCTA CTAACCTCAG CCTGCTGAAG CAGGCTGGAG ACGTGGAGGA GAACCTGGA CCTATGACCG AGTACAAGCC
CACGGTGGC CTCGCCACC GCGACGACGT CCCAGGGCC GTACGCACC TCGCCGCGC GTTCGCGAC TACCCGCCA
CGGCCACAC CGTCGATCC GACGCCACA TCGAGCGGT CACCGAGCTG CAAGAACTCT TCCTCACCG CGTCGGGCTC
GACATCGCA AGGTGTGGT CGCGGACGAC GCGCGCGCGG TGGCGTCTG GACCACCGC GAGAGCGTCG AAGCGGGGC
GGTGTTCGCC GAGATCGCC CGCGCATGGC CGAGTTGAGC GGTTCGCGG TGCCCGCGCA GCAACAGATG GAAGGCCTCC
TGGCGCGCA CCGGCCAAG GAGCCCGCT GGTTCCTGCG CACCGTCGGC GTCTGCGCC ACCACAGGG CAAGGGTCTG
GGCAGCGCG TCGTCTCCC CGGAGTGGAG GCGGCGGAG GCGCGGGGT GCCCGCTTC CTGGAGACCT CCGCGCCCG
CAACCTCCC TTCTACGAGC GGCTCGGCTT CACCGTCACC GCCGACGTC AGGTGCCCA AGGACCCGCG ACCTGGTGA
TGACCCGCAA GCCCGGTGCC TGAAACTGT TTATTGCAGC TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTC
ACAAATAAAG CATTTTTTTC ACTGCATTCT AGTTGTGGTT TGTCAAACT CATCAATGTA TCTTAATAAC TTCGTATAAT
GTATGCTATA CGAAGTTAT
    
```



OTI Disclaimer: These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.

RefSeq: [NM_198568](#)

UniProt ID: [Q6PEY0](#)

Synonyms: bA136M9.1; connexin25; CX25

Summary: Connexins, such as GJB7, are involved in the formation of gap junctions, intercellular conduits that directly connect the cytoplasm of contacting cells. Each gap junction channel is formed by docking of 2 hemichannels, each of which contains 6 connexin subunits (Sohl et al., 2003 [PubMed 12881038]). [supplied by OMIM, Mar 2008]

Product images:

