

Product datasheet for **KN409370**

NACA2 Human Gene Knockout Kit (CRISPR)

Product data:

Product Type:	Knockout Kits (CRISPR)
Format:	2 gRNA vectors, 1 linear donor
Donor DNA:	EF1a-GFP-P2A-Puro
Symbol:	NACA2
Locus ID:	342538



Components:

KN409370G1, NACA2 gRNA vector 1 in pCas-Guide CRISPR vector (GEI00002)

KN409370G2, NACA2 gRNA vector 2 in pCas-Guide CRISPR vector (GEI00002)

KN409370D, Linear donor DNA containing LoxP-EF1A-tGFP-P2A-Puro-LoxP:

The sequence below is cassette sequence only. The linear donor DNA also contains proprietary target sequence.

LoxP-EF1A-tGFP-P2A-Puro-LoxP (2739 bp)

ATAACTTCGT ATAATGTATG CTATACGAAG TTATCGTGAG GCTCCGGTGC CCGTCAGTGG GCAGAGCGCA CATCGCCAC
AGTCCCGCAG AAGTTGGGGG GAGGGGTCCG CAATTGAACC GGTGCCTAGA GAAGGTGGCG CGGGGTAAC TGGGAAAGTG
ATGTCGTGTA CTGGCTCCGC CTTTTTCCCG AGGGTGGGG AGAACCGTAT ATAAGTCAG TAGTCGCCGT GAACGTTCTT
TTTCGCAACG GGTTCGCCGC CAGAACACAG GTAAGTGCCG TGTGTGGTTC CCGCGGGCCT GGCCTCTTTA CGGGTTATGG
CCCTTGCGTG CTTGAATTA CTTCCACCTG GCTGCAGTAC GTGATTCTTG ATCCCGAGCT TCGGGTTGGA AGTGGGTGGG
AGAGTTCGAG GCCTTGCGCT TAAGGAGCCC CTTCGCCTCG TGCTTGAGTT GAGGCTGGC CTGGGCGCTG GGGCCGCCGC
GTGCGAATCT GGTGGCACCT TCGCGCTGT CTCGCTGCTT TCGATAAGTC TCTAGCCATT TAAATTTTTT GATGACCTGC
TGCGACGCTT TTTTCTGGC AAGATAGTCT TGTAATGCG GGCCAAAGATC TGCACACTGG TATTTCGGTT TTTGGGGCCG
CGGGCGGCGA CGGGGCCCGT GCGTCCCAGC GCACATGTTT GGCGAGGCGG GGCTGCGAG CGCGGCCACC GAGAATCGGA
CGGGGGTAGT CTAAGCTGG CCGGCCTGCT CTGGTGCCTG GCCTCGCGCC GCCGTGTATC GCGCCGCCCT GGGCGGCAAG
GCTGGCCCGG TCGGCACCAG TTGCGTGAGC GGAAGATGG CCGCTCCCG GCCCTGCTGC AGGGAGCTCA AAATGGAGGA
CGCGGCGCTC GGGAGAGCGG GCGGGTGAGT CACCCACACA AAGGAAAAGG GCCTTTCCTT CCTCAGCCGT CGCTTCATGT
GACTCCACGG AGTACCGGGC GCCGTCCAGG CACCTCGATT AGTTCCTGAG CTTTGGAGT ACCTCGTCTT TAGGTTGGGG
GGAGGGGTTT TATGCGATGG AGTTTCCCA CACTGAGTGG GTGGAGACTG AAGTTAGGCC AGCTTGGCAC TTGATGTAAT
TCTCCTTGA ATTTGCCCTT TTTGAGTTG GATCTTGGT CATTCTCAAG CCTCAGACAG TGTTTCAAG TTTTTTCTT
CCATTTACAG TGTCGTGAAT GGAGAGCGAC GAGAGCGGCG TGCCCGCCAT GGAGATCGAG TGCCGCATCA CCGGCACCTC
GAACGCGCTG GAGTTCGAGC TGGTGGGCGG CGGAGAGGCG ACCCCGAGC AGGGCCGCAT GACCAACAAG ATGAAGAGCA
CCAAAGGCGC CCTGACCTTC AGCCCTACC TGCTGAGCCA CGTGATGGG TACGGCTTCT ACCACTTCGG CACTACCCC
AGCGGCTACG AGAACCCCTT CCTGCACGCC ATCAACAACG GCGGCTACAC CAACACCCCG ATCGAGAAGT ACGAGGACGG
CGGCGTGCTG CACGTGAGCT TCAGCTACCG CTACGAGGCC GGCCGCGTGA TCGCGCACTT CAAGGTGATG GGCACCGGCT
TCCCCGAGGA CAGCGTGATC TTCACCGACA AGATCATCCG CAGCAACGCC ACCGTGGAGC ACCTGCACCC CATGGGCGAT
AACGATCTGG ATGGCAGCTT CACCCGCACC TTCAGCCTGC GCGACGGCGG CTAACAGC TCCGTGGTGG ACAGCCACAT
GCACTTCAAG AGCGCCATCC ACCCCAGCAT CCTGCAGAAC GGGGGCCCCA TGTTGCCTT CCGCCGCGTG GAGGAGGATC
ACAGCAACAC CGAGCTGGG ATCGTGAGT ACCAGCACGC CTTCAAGACC CCGATGCA AGTCCGGTGA AGAAAGAGGA
AGCGGAGCTA CTAACCTCAG CCTGCTGAAG CAGGCTGGAG ACGTGGAGGA GAACCTGGA CCTATGACCG AGTACAAGCC
CACGGTGCGC CTCGCCACCC GCGACGAGT CCCCAGGGCC GTACGCACCC TCGCCGCGCG GTTCGCCGAC TACCCGCCA
CGCGCCACAC CGTCGATCCG GACCGCCACA TCGAGCGGT CACCGAGCTG CAAGAACTCT TCCTCACGCG CGTCGGGCTC
GACATCGGCA AGGTGTGGT CGCGGACGAC GCGCGCGCGG TGCGGTCTG GACCACGCCG GAGAGCGTCG AAGCGGGGGC
GGTGTTCGCC GAGATCGGCC CGCGCATGGC CGAGTTGAGC GGTTCGCCG TGCGCGCGCA GCAACAGATG GAAGGCCTCC
TGGCGCGCA CCGGCCAAG GAGCCCGCT GGTTCCTGCG CACCGTCGGC GTCTCGCCCG ACCACAGGG CAAGGGTCTG
GGCAGCGCCG TCGTGCTCCC CGGAGTGGAG GCGGCCGAGC GCGCCGGGT GCCCGCCTTC CTGGAGACCT CCGCGCCCCG
CAACCTCCCC TTCTACGAGC GGCTCGGCTT CACCGTCACC GCGGACGTCG AGGTGCCGA AGGACCGCGC ACCTGGTGCA
TGACCCGCAA GCCCGGTGCC TGAAACTTGT TTATTGCAGC TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTC
ACAAATAAAG CATTTTTTTC ACTGCATTCT AGTTGTGGTT TGTCCAACT CATCAATGTA TCTTAATAAC TTCGTATAAT
GTATGCTATA CGAAGTTAT



OTI Disclaimer:	These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.
RefSeq:	NM_199290
UniProt ID:	Q9H009
Synonyms:	ANAC; NACAL
Summary:	Prevents inappropriate targeting of non-secretory polypeptides to the endoplasmic reticulum (ER). Binds to nascent polypeptide chains as they emerge from the ribosome and blocks their interaction with the signal recognition particle (SRP), which normally targets nascent secretory peptides to the ER. Also reduces the inherent affinity of ribosomes for protein translocation sites in the ER membrane (M sites) (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:

